

NPCA Annual Report 2020 – Provider results

South Tees Hospitals NHS Foundation Trust

Specialist MDT: South Tees Hospitals NHS Foundation Trust

Data Quality

	Diagnosing Trust	Specialist MDT
No. of Cancer Registry records	469	692
Performance Status recorded	1%	29%
PSA completed	77%	81%
Gleason Score completed	91%	88%
TNM completed	84%	81%
Risk group assigned	98%	97%

Disease Presentation

	Specialist MDT	National
No. of men with disease status determined	675	49027
Percentage of men diagnosed with metastatic disease	18%	13%

Management

	Specialist MDT	National
No. of men diagnosed with low-risk localised disease	68	3055
Percentage of men with low-risk localised disease receiving radical treatment	3%	5%
No. of men diagnosed with locally advanced disease	243	19663

	Specialist MDT	National
Percentage of men diagnosed with locally advanced disease receiving radical treatment	80%	71%
No. of men diagnosed with M1 (metastases)	124	6136
Percentage of men diagnosed with M1 (metastases) receiving docetaxel	43%	36%

Patient experience of care

	Specialist MDT	National
No. of men diagnosed 1st April 18 - 30th Sept 18 who had radical treatment (surgery or radiotherapy) and were sent a questionnaire	161	10750
Percentage of men who responded	78%	78%
No. of men who completed CNS question	124	8137
Percentage of men who were 'given the name of a CNS'	92%	87%
No. of men who rated their overall care on a scale of 1-10	123	7878
Percentage of men who rated their overall care as 8 or above	93%	91%

Outcome


	Treatment Centre
No. of men who received radical prostatectomy (2018-2019)	153
Adjusted percentage of men who had an emergency readmission within 90 days of radical prostatectomy (%)	20%
No. of men who received radical prostatectomy (2017)	74
Adjusted percentage of men experiencing at least one GU complication requiring a procedural/surgical intervention (%)	0%
No. of men who received radical radiotherapy (2017)	235
Adjusted percentage of men receiving a procedure of the large bowel and a diagnosis indicating radiation toxicity (GI complication) (%)	8%

Patient-reported outcomes

	Treatment Centre
No. of men diagnosed 1st April 18 - 30th Sept 18 who received radical prostatectomy and were sent a questionnaire	55


	Treatment Centre
Percentage of men who responded	85%
No. of men who completed sufficient information for a validated EPIC-26 urinary incontinence score to be determined	45
Adjusted EPIC-26 urinary incontinence score (0=worst to 100=best)	66
No. of men who completed sufficient information for a validated EPIC-26 sexual function score to be determined	44
Adjusted EPIC-26 sexual function score (0=worst to 100=best)	24
No. of men diagnosed 1st April 18 - 30th Sept 18 who received external beam radiotherapy and were sent a questionnaire	153
Percentage of men who responded	78%
No. of men who completed sufficient information for a validated EPIC-26 bowel function score to be determined	107
Adjusted EPIC-26 bowel function score (0=worst to 100=best)	87
No. of men who completed sufficient information for a validated EPIC-26 sexual function score to be determined	108
Adjusted EPIC-26 sexual function score (0=worst to 100=best)	20

Adjusted funnel plot for the proportion of patients readmitted as an emergency within 90 days of radical prostatectomy by surgical centre in England and Wales.




Trust	Number	Adjusted
South Tees Hospitals NHS Foundation Trust	153	20.36%

Adjusted funnel plot for the proportion of patients experiencing at least one genitourinary complication requiring a procedural/surgical intervention within 2 years of radical prostatectomy by surgical centre in England and Wales.




Trust	Number	Adjusted
South Tees Hospitals NHS Foundation Trust	74	0%

Adjusted funnel plot for the proportion of patients receiving a procedure of the large bowel and a diagnosis indicating radiation toxicity (gastrointestinal complication) within 2 years of radical radiotherapy by radiotherapy centre in England and Wales.




Trust	Number	Adjusted
South Tees Hospitals NHS Foundation Trust	235	7.63%

Adjusted funnel plot for the mean sexual function score after radical prostatectomy by surgical centre in England and Wales.




Trust	Number	Adjusted mean score
South Tees Hospitals NHS Foundation Trust	44	24.42

Adjusted funnel plot for the mean urinary incontinence score after radical prostatectomy by surgical centre in England and Wales.




Trust	Number	Adjusted mean score
South Tees Hospitals NHS Foundation Trust	45	65.56

Adjusted funnel plot for the mean sexual function score after radical radiotherapy by radiotherapy centre in England and Wales.



Trust	Number	Adjusted mean score
South Tees Hospitals NHS Foundation Trust	108	20.39

Adjusted funnel plot for the mean bowel function score after radical radiotherapy by radiotherapy centre in England and Wales.



Trust	Number	Adjusted mean score
South Tees Hospitals NHS Foundation Trust	107	86.78