

## NPCA Annual Report 2020 – Provider results

### Stockport NHS Foundation Trust

#### Specialist MDT: Stockport NHS Foundation Trust

#### Data Quality

	Diagnosing Trust	Specialist MDT
No. of Cancer Registry records	372	876
Performance Status recorded	54%	48%
PSA completed	21%	59%
Gleason Score completed	85%	84%
TNM completed	84%	88%
Risk group assigned	91%	94%

#### Disease Presentation

	Specialist MDT	National
No. of men with disease status determined	847	49027
Percentage of men diagnosed with metastatic disease	14%	13%

#### Management

	Specialist MDT	National
No. of men diagnosed with low-risk localised disease	48	3055
Percentage of men with low-risk localised disease receiving radical treatment	7%	5%
No. of men diagnosed with locally advanced disease	336	19663
Percentage of men diagnosed with locally advanced disease receiving radical treatment	76%	71%
No. of men diagnosed with M1 (metastases)	118	6136
Percentage of men diagnosed with M1 (metastases) receiving docetaxel	38%	36%

#### Patient experience of care

	Specialist MDT	National
No. of men diagnosed 1st April 18 - 30th Sept 18 who had radical treatment (surgery or radiotherapy) and were sent a questionnaire	163	10750
Percentage of men who responded	85%	78%
No. of men who completed CNS question	134	8137
Percentage of men who were 'given the name of a CNS'	87%	87%
No. of men who rated their overall care on a scale of 1-10	127	7878

	Specialist MDT	National
Percentage of men who rated their overall care as 8 or above	94%	91%


## Outcome

	Treatment Centre
No. of men who received radical prostatectomy (2018-2019)	177
Adjusted percentage of men who had an emergency readmission within 90 days of radical prostatectomy (%)	7%
No. of men who received radical prostatectomy (2017)	99
Adjusted percentage of men experiencing at least one GU complication requiring a procedural/surgical intervention (%)	8%

## Patient-reported outcomes


	Treatment Centre
No. of men diagnosed 1st April 18 - 30th Sept 18 who received radical prostatectomy and were sent a questionnaire	68
Percentage of men who responded	81%
No. of men who completed sufficient information for a validated EPIC-26 urinary incontinence score to be determined	52
Adjusted EPIC-26 urinary incontinence score (0=worst to 100=best)	73
No. of men who completed sufficient information for a validated EPIC-26 sexual function score to be determined	54
Adjusted EPIC-26 sexual function score (0=worst to 100=best)	34

## Adjusted funnel plot for the proportion of patients readmitted as an emergency within 90 days of radical prostatectomy by surgical centre in England and Wales.




Trust	Number	Adjusted
Stockport NHS Foundation Trust	177	6.92%

**Adjusted funnel plot for the proportion of patients experiencing at least one genitourinary complication requiring a procedural/surgical intervention within 2 years of radical prostatectomy by surgical centre in England and Wales.**




Trust	Number	Adjusted
Stockport NHS Foundation Trust	99	7.67%

## Adjusted funnel plot for the mean sexual function score after radical prostatectomy by surgical centre in England and Wales.



Trust	Number	Adjusted mean score
Stockport NHS Foundation Trust	54	34.42

## Adjusted funnel plot for the mean urinary incontinence score after radical prostatectomy by surgical centre in England and Wales.



Trust	Number	Adjusted mean score
Stockport NHS Foundation Trust	52	72.68