

## NPCA Annual Report 2020 – Provider results

### University College London Hospitals NHS Foundation Trust Specialist MDT: University College London Hospitals NHS Foundation Trust

#### Data Quality

	Diagnosing Trust	Specialist MDT
No. of Cancer Registry records	372	1028
Performance Status recorded	14%	25%
PSA completed	21%	59%
Gleason Score completed	95%	86%
TNM completed	89%	89%
Risk group assigned	96%	92%

#### Disease Presentation

	Specialist MDT	National
No. of men with disease status determined	983	49027
Percentage of men diagnosed with metastatic disease	7%	13%

#### Management

	Specialist MDT	National
No. of men diagnosed with low-risk localised disease	22	3055
Percentage of men with low-risk localised disease receiving radical treatment	0%	5%
No. of men diagnosed with locally advanced disease	371	19663

	Specialist MDT	National
Percentage of men diagnosed with locally advanced disease receiving radical treatment	64%	71%
No. of men diagnosed with M1 (metastases)	72	6136
Percentage of men diagnosed with M1 (metastases) receiving docetaxel	29%	36%

### Patient experience of care

	Specialist MDT	National
No. of men diagnosed 1st April 18 - 30th Sept 18 who had radical treatment (surgery or radiotherapy) and were sent a questionnaire	203	10750
Percentage of men who responded	71%	78%
No. of men who completed CNS question	141	8137
Percentage of men who were 'given the name of a CNS'	87%	87%
No. of men who rated their overall care on a scale of 1-10	132	7878
Percentage of men who rated their overall care as 8 or above	92%	91%

### Outcome


	Treatment Centre
No. of men who received radical prostatectomy (2018-2019)	691
Adjusted percentage of men who had an emergency readmission within 90 days of radical prostatectomy (%)	7%
No. of men who received radical prostatectomy (2017)	404
Adjusted percentage of men experiencing at least one GU complication requiring a procedural/surgical intervention (%)	5%
No. of men who received radical radiotherapy (2017)	49
Adjusted percentage of men receiving a procedure of the large bowel and a diagnosis indicating radiation toxicity (GI complication) (%)	26%

### Patient-reported outcomes

	Treatment Centre
No. of men diagnosed 1st April 18 - 30th Sept 18 who received radical prostatectomy and were sent a questionnaire	246


	<b>Treatment Centre</b>
Percentage of men who responded	67%
No. of men who completed sufficient information for a validated EPIC-26 urinary incontinence score to be determined	154
Adjusted EPIC-26 urinary incontinence score (0=worst to 100=best)	77
No. of men who completed sufficient information for a validated EPIC-26 sexual function score to be determined	159
Adjusted EPIC-26 sexual function score (0=worst to 100=best)	28
No. of men diagnosed 1st April 18 - 30th Sept 18 who received external beam radiotherapy and were sent a questionnaire	17
Percentage of men who responded	71%
No. of men who completed sufficient information for a validated EPIC-26 bowel function score to be determined	12
Adjusted EPIC-26 bowel function score (0=worst to 100=best)	87
No. of men who completed sufficient information for a validated EPIC-26 sexual function score to be determined	12
Adjusted EPIC-26 sexual function score (0=worst to 100=best)	14

**Adjusted funnel plot for the proportion of patients readmitted as an emergency within 90 days of radical prostatectomy by surgical centre in England and Wales.**




Trust	Number	Adjusted
University College London Hospitals NHS Foundation Trust	691	7.44%

**Adjusted funnel plot for the proportion of patients experiencing at least one genitourinary complication requiring a procedural/surgical intervention within 2 years of radical prostatectomy by surgical centre in England and Wales.**




Trust	Number	Adjusted
University College London Hospitals NHS Foundation Trust	404	4.72%

**Adjusted funnel plot for the proportion of patients receiving a procedure of the large bowel and a diagnosis indicating radiation toxicity (gastrointestinal complication) within 2 years of radical radiotherapy by radiotherapy centre in England and Wales.**




Trust	Number	Adjusted
University College London Hospitals NHS Foundation Trust	49	26.28%

## Adjusted funnel plot for the mean sexual function score after radical prostatectomy by surgical centre in England and Wales.



Trust	Number	Adjusted mean score
University College London Hospitals NHS Foundation Trust	159	28.32


**Adjusted funnel plot for the mean urinary incontinence score after radical prostatectomy by surgical centre in England and Wales.**



Trust	Number	Adjusted mean score
University College London Hospitals NHS Foundation Trust	154	76.57




## Adjusted funnel plot for the mean sexual function score after radical radiotherapy by radiotherapy centre in England and Wales.



Trust	Number	Adjusted mean score
University College London Hospitals NHS Foundation Trust	12	14.02

## Adjusted funnel plot for the mean bowel function score after radical radiotherapy by radiotherapy centre in England and Wales.



Trust	Number	Adjusted mean score
University College London Hospitals NHS Foundation Trust	12	87.46