

NPCA Annual Report 2018 – Provider results

Ipswich Hospital NHS Trust

Specialist MDT: Cambridge University Hospitals NHS Foundation Trust

Data Quality

	Diagnosing Trust	Specialist MDT
No. of Cancer Registry records	351	1970
Performance Status recorded	79%	71%
PSA completed	90%	82%
Gleason Score completed	75%	82%
TNM completed	85%	74%
Multiparametric MRI performed	90%	75%
At least 1 treatment modality recorded	93%	89%

Disease Presentation

	Specialist MDT	National
No. of men with disease status determined	1871	39534
Percentage of men diagnosed with metastatic disease	15%	16%

Management

	Specialist MDT	National
No. of men diagnosed with low-risk localised disease	223	2948
Percentage of men with low-risk localised disease receiving radical treatment	4%	4%
No. of men diagnosed with locally advanced disease	644	15404
Percentage of men diagnosed with locally advanced disease receiving radical treatment	66%	67%

Patient experience of care

	Specialist MDT	National
No. of men diagnosed April 15 - Sept 16 who were candidates, or who had radical treatment (surgery or radiotherapy) and were sent a questionnaire	1468	35162
Percentage of men who responded	75%	73%
No. of men who completed 'diagnosis information' question	1087	25248
Percentage of men who were given the 'right amount' of information about their condition and treatment	92%	90%
No. of men who completed 'treatment involvement' question	1089	25041

	Specialist MDT	National
Percentage of men who were 'involved as much as they were to be' in decisions about their treatment and care	76%	73%
No. of men who completed CNS question	1079	24569
Percentage of men who were 'given the name of a CNS'	87%	83%
No. of men who rated their overall care on a scale of 1-10	1024	23809
Percentage of men who rated their overall care as 8 or above	92%	89%


Outcome

	Treatment Centre
No. of men who received radical radiotherapy ()	146
Adjusted percentage of men experiencing at least one GI complication (%)	5%

Patient-reported outcomes


	Treatment Centre
No. of men diagnosed April 15 - Sept 16 who received external beam radiotherapy and were sent a questionnaire	220
Percentage of men who responded	78%
No. of men who completed sufficient information for a validated EPIC-26 bowel function score to be determined	149
Adjusted EPIC-26 bowel function score	87
No. of men who completed sufficient information for a validated EPIC-26 sexual function score to be determined	159
Adjusted EPIC-26 sexual function score	24

Adjusted funnel plot for the proportion of patients receiving a procedure of the large bowel and a diagnosis indicating radiation toxicity (gastrointestinal complication) within 2 years of radical radiotherapy by radiotherapy centre in England and Wales.




Trust	Number	Adjusted
Ipswich Hospital NHS Trust	146	5.3%

Adjusted funnel plot for the mean sexual function score after radical radiotherapy by radiotherapy centre in England and Wales.



Trust	Number	Adjusted mean score
Ipswich Hospital NHS Trust	159	23.97

Adjusted funnel plot for the mean bowel function score after radical radiotherapy by radiotherapy centre in England and Wales.



Trust	Number	Adjusted mean score
Ipswich Hospital NHS Trust	149	87.02