

NPCA Annual Report 2023 – Provider results

Royal Berkshire NHS Foundation Trust

Specialist MDT: Royal Berkshire NHS Foundation Trust

Data Quality

	Diagnosing Trust	Specialist MDT
No. of Cancer Registry records	320	320
Performance Status recorded	23%	23%
PSA completed	92%	92%
Gleason Score completed	81%	81%
TNM completed	75%	75%

Disease Presentation

	Specialist MDT	National
No. of men with disease status determined	299	31258
Percentage of men diagnosed with metastatic disease	16%	19%


Management

	Specialist MDT	National
No. of men diagnosed with low-risk localised disease	53	3680
Percentage of men with low-risk localised disease receiving radical treatment	2%	9%
No. of men diagnosed with locally advanced disease	95	11503
Percentage of men diagnosed with locally advanced disease receiving radical treatment	80%	69%

Outcome


	Treatment Centre
No. of men who received radical prostatectomy (Apr 2021 - Mar 2022)	146
Adjusted percentage of men who had an emergency readmission within 90 days of radical prostatectomy (%)	12%
No. of men who received radical prostatectomy (Sep 2019 - August 2020)	138
Adjusted percentage of men experiencing at least one GU complication (%)	4%
No. of men who received radical radiotherapy (Sep 2019 - August 2020)	228
Adjusted percentage of men experiencing at least one GI complication (%)	5%

Adjusted funnel plot for the proportion of patients readmitted as an emergency within 90 days of radical prostatectomy by surgical centre in England and Wales.




Trust	Number	Adjusted
Royal Berkshire NHS Foundation Trust	146	12.02%

Adjusted funnel plot for the proportion of patients experiencing at least one genitourinary complication requiring a procedural/surgical intervention within 2 years of radical prostatectomy by surgical centre in England and Wales.



Trust	Number	Adjusted
Royal Berkshire NHS Foundation Trust	138	4.43%

Adjusted funnel plot for the proportion of patients receiving a procedure of the large bowel and a diagnosis indicating radiation toxicity (gastrointestinal complication) within 2 years of radical radiotherapy by radiotherapy centre in England and Wales.



Trust	Number	Adjusted
Royal Berkshire NHS Foundation Trust	228	4.7%