

NPCA Annual Report 2021 – Provider results

Lancashire Teaching Hospitals NHS Foundation Trust

Specialist MDT: Lancashire Teaching Hospitals NHS Foundation Trust

Data Quality

For these results, data for England were provided for 1st April 2019 to 31st March 2020 from the Rapid Cancer Registration Dataset (RCRD), which is sourced mainly from the Cancer Services and Outcomes Dataset (COSD) containing proxy tumour registrations, as the standard Cancer Registration data were unavailable. More details can be found here. Please note: the data quality results were amended in May 2022.

	Diagnosing Trust	Specialist MDT
No. of Cancer Registry records	369	1197
Performance Status recorded	44%	77%
TNM completed	22%	61%
Stage variable assigned	77%	86%

Disease Presentation

	Specialist MDT	National
No. of men with disease status determined	1061	34801
Percentage of men diagnosed with metastatic disease	17%	13%


Management

These indicators could not be reported this year for England as we were unable to assign a patient to a particular risk group due to the unavailability of information on PSA and Gleason score in the Rapid Cancer Registration Dataset

Outcome


	Treatment Centre
No. of men who received radical prostatectomy (2019-2020)	116
Adjusted percentage of men who had an emergency readmission within 90 days of radical prostatectomy (%)	11%
No. of men who received radical prostatectomy (2018)	61
Adjusted percentage of men experiencing at least one GU complication (%)	3%
No. of men who received radical radiotherapy (2018)	185
Adjusted percentage of men receiving a procedure of the large bowel and a diagnosis indicating radiation toxicity (GI complication) (%)	11%

Adjusted funnel plot for the proportion of patients readmitted as an emergency within 90 days of radical prostatectomy by surgical centre in England and Wales.




Trust	Number	Adjusted
Lancashire Teaching Hospitals NHS Foundation Trust	116	10.63%

Adjusted funnel plot for the proportion of patients experiencing at least one genitourinary complication requiring a procedural/surgical intervention within 2 years of radical prostatectomy by surgical centre in England and Wales.



Trust	Number	Adjusted
Lancashire Teaching Hospitals NHS Foundation Trust	61	3.33%

Adjusted funnel plot for the proportion of patients receiving a procedure of the large bowel and a diagnosis indicating radiation toxicity (gastrointestinal complication) within 2 years of radical radiotherapy by radiotherapy centre in England and Wales.



Trust	Number	Adjusted
Lancashire Teaching Hospitals NHS Foundation Trust	185	11.12%