

NPCA Annual Report 2023 – Provider results

Worcestershire Acute Hospitals NHS Trust

Specialist MDT: University Hospitals Coventry and Warwickshire NHS Trust

Data Quality

	Diagnosing Trust	Specialist MDT
No. of Cancer Registry records	379	883
Performance Status recorded	95%	87%
PSA completed	78%	80%
Gleason Score completed	68%	71%
TNM completed	78%	76%

Disease Presentation

	Specialist MDT	National
No. of men with disease status determined	833	31258
Percentage of men diagnosed with metastatic disease	19%	19%

Management


	Specialist MDT	National
No. of men diagnosed with low-risk localised disease	50	3680
Percentage of men with low-risk localised disease receiving radical treatment	15%	9%
No. of men diagnosed with locally advanced disease	371	11503

	Specialist MDT	National
Percentage of men diagnosed with locally advanced disease receiving radical treatment	66%	69%

Outcome


	Treatment Centre
No. of men who received radical prostatectomy (Apr 2021 - Mar 2022)	32
Adjusted percentage of men who had an emergency readmission within 90 days of radical prostatectomy (%)	17%
No. of men who received radical prostatectomy (Sep 2019 - August 2020)	47
Adjusted percentage of men experiencing at least one GU complication (%)	14%
No. of men who received radical radiotherapy (Sep 2019 - August 2020)	174
Adjusted percentage of men experiencing at least one GI complication (%)	5%

Adjusted funnel plot for the proportion of patients readmitted as an emergency within 90 days of radical prostatectomy by surgical centre in England and Wales.




Trust	Number	Adjusted
Worcestershire Acute Hospitals NHS Trust	32	16.98%

Adjusted funnel plot for the proportion of patients experiencing at least one genitourinary complication requiring a procedural/surgical intervention within 2 years of radical prostatectomy by surgical centre in England and Wales.



Trust	Number	Adjusted
Worcestershire Acute Hospitals NHS Trust	47	14.19%

Adjusted funnel plot for the proportion of patients receiving a procedure of the large bowel and a diagnosis indicating radiation toxicity (gastrointestinal complication) within 2 years of radical radiotherapy by radiotherapy centre in England and Wales.



Trust	Number	Adjusted
Worcestershire Acute Hospitals NHS Trust	174	5.1%