

NPCA Annual Report 2023 – Provider results

Lancashire Teaching Hospitals NHS Foundation Trust

Specialist MDT: Lancashire Teaching Hospitals NHS Foundation Trust

Data Quality

	Diagnosing Trust	Specialist MDT
No. of Cancer Registry records	251	878
Performance Status recorded	53%	78%
PSA completed	82%	76%
Gleason Score completed	86%	80%
TNM completed	73%	78%

Disease Presentation

	Specialist MDT	National
No. of men with disease status determined	851	31258
Percentage of men diagnosed with metastatic disease	22%	19%

Management


	Specialist MDT	National
No. of men diagnosed with low-risk localised disease	73	3680
Percentage of men with low-risk localised disease receiving radical treatment	11%	9%
No. of men diagnosed with locally advanced disease	383	11503

	Specialist MDT	National
Percentage of men diagnosed with locally advanced disease receiving radical treatment	71%	69%

Outcome


	Treatment Centre
No. of men who received radical prostatectomy (Apr 2021 - Mar 2022)	101
Adjusted percentage of men who had an emergency readmission within 90 days of radical prostatectomy (%)	10%
No. of men who received radical prostatectomy (Sep 2019 - August 2020)	107
Adjusted percentage of men experiencing at least one GU complication (%)	11%
No. of men who received radical radiotherapy (Sep 2019 - August 2020)	414
Adjusted percentage of men experiencing at least one GI complication (%)	10%

Adjusted funnel plot for the proportion of patients readmitted as an emergency within 90 days of radical prostatectomy by surgical centre in England and Wales.




Trust	Number	Adjusted
Lancashire Teaching Hospitals NHS Foundation Trust	101	9.61%

Adjusted funnel plot for the proportion of patients experiencing at least one genitourinary complication requiring a procedural/surgical intervention within 2 years of radical prostatectomy by surgical centre in England and Wales.



Trust	Number	Adjusted
Lancashire Teaching Hospitals NHS Foundation Trust	107	10.55%

Adjusted funnel plot for the proportion of patients receiving a procedure of the large bowel and a diagnosis indicating radiation toxicity (gastrointestinal complication) within 2 years of radical radiotherapy by radiotherapy centre in England and Wales.



Trust	Number	Adjusted
Lancashire Teaching Hospitals NHS Foundation Trust	414	10.48%