

NPCA Annual Report 2022 – Provider results

Plymouth Hospitals NHS Trust

Specialist MDT: Plymouth Hospitals NHS Trust

Data Quality

| | Diagnosing Trust | Specialist MDT |
|--------------------------------|------------------|----------------|
| No. of Cancer Registry records | 310 | 612 |
| Performance Status recorded | 91% | 64% |
| PSA completed | 55% | 73% |
| Gleason Score completed | N/A | N/A |
| TNM completed | 76% | 73% |
| Stage variable assigned | 98% | 96% |

Disease Presentation

| | Specialist MDT | National |
|---|----------------|----------|
| No. of men with disease status determined | 594 | 23477 |
| Percentage of men diagnosed with metastatic disease | 24% | 17% |
| No. of men diagnosed with M1 (metastases) | 140 | N/A |


Management

These indicators could not be reported this year for England as we were unable to assign a patient to a particular risk group due to the unavailability of information on Gleason score in the Rapid Cancer Registration Dataset

Outcome


| | Treatment Centre |
|---|------------------|
| No. of men who received radical prostatectomy (2020-2021) | 75 |
| Adjusted percentage of men who had an emergency readmission within 90 days of radical prostatectomy (%) | 14% |
| No. of men who received radical prostatectomy (2019) | 86 |
| Adjusted percentage of men experiencing at least one GU complication (%) | 7% |
| No. of men who received radical radiotherapy (2019) | 87 |
| Adjusted percentage of men experiencing at least one GI complication (%) | 4% |

Adjusted funnel plot for the proportion of patients readmitted as an emergency within 90 days of radical prostatectomy by surgical centre in England and Wales.




| Trust | Number | Adjusted |
|------------------------------|--------|----------|
| Plymouth Hospitals NHS Trust | 75 | 13.98% |

Adjusted funnel plot for the proportion of patients experiencing at least one genitourinary complication requiring a procedural/surgical intervention within 2 years of radical prostatectomy by surgical centre in England and Wales.



| Trust | Number | Adjusted |
|------------------------------|--------|----------|
| Plymouth Hospitals NHS Trust | 86 | 6.79% |

Adjusted funnel plot for the proportion of patients receiving a procedure of the large bowel and a diagnosis indicating radiation toxicity (gastrointestinal complication) within 2 years of radical radiotherapy by radiotherapy centre in England and Wales.



| Trust | Number | Adjusted |
|------------------------------|--------|----------|
| Plymouth Hospitals NHS Trust | 87 | 4.43% |