

NPCA Annual Report 2023 – Provider results

Royal Surrey County Hospital NHS Foundation Trust Specialist MDT: Royal Surrey County Hospital NHS Foundation Trust

Data Quality

	Diagnosing Trust	Specialist MDT
No. of Cancer Registry records	198	1438
Performance Status recorded	47%	64%
PSA completed	60%	73%
Gleason Score completed	83%	75%
TNM completed	56%	70%

Disease Presentation

	Specialist MDT	National
No. of men with disease status determined	1246	31258
Percentage of men diagnosed with metastatic disease	15%	19%

Management


	Specialist MDT	National
No. of men diagnosed with low-risk localised disease	110	3680
Percentage of men with low-risk localised disease receiving radical treatment	12%	9%
No. of men diagnosed with locally advanced disease	498	11503

	Specialist MDT	National
Percentage of men diagnosed with locally advanced disease receiving radical treatment	72%	69%

Outcome


	Treatment Centre
No. of men who received radical prostatectomy (Apr 2021 - Mar 2022)	316
Adjusted percentage of men who had an emergency readmission within 90 days of radical prostatectomy (%)	6%
No. of men who received radical prostatectomy (Sep 2019 - August 2020)	246
Adjusted percentage of men experiencing at least one GU complication (%)	2%
No. of men who received radical radiotherapy (Sep 2019 - August 2020)	338
Adjusted percentage of men experiencing at least one GI complication (%)	12%

Adjusted funnel plot for the proportion of patients readmitted as an emergency within 90 days of radical prostatectomy by surgical centre in England and Wales.




Trust	Number	Adjusted
Royal Surrey County Hospital NHS Foundation Trust	316	5.71%

Adjusted funnel plot for the proportion of patients experiencing at least one genitourinary complication requiring a procedural/surgical intervention within 2 years of radical prostatectomy by surgical centre in England and Wales.



Trust	Number	Adjusted
Royal Surrey County Hospital NHS Foundation Trust	246	2.08%

Adjusted funnel plot for the proportion of patients receiving a procedure of the large bowel and a diagnosis indicating radiation toxicity (gastrointestinal complication) within 2 years of radical radiotherapy by radiotherapy centre in England and Wales.



Trust	Number	Adjusted
Royal Surrey County Hospital NHS Foundation Trust	338	11.68%