

NPCA Annual Report 2020 – Provider results

Abertawe Bro Morgannwg University Health Board Specialist MDT: Abertawe Bro Morgannwg University Health Board

Data Quality

	Diagnosing Trust	Specialist MDT
No. of Cancer Registry records	513	917
Performance Status recorded	100%	100%
PSA completed	90%	88%
Gleason Score completed	90%	88%
TNM completed	93%	93%
Risk group assigned	96%	97%

Disease Presentation

	Specialist MDT	National
No. of men with disease status determined	905	49027
Percentage of men diagnosed with metastatic disease	12%	13%

Management

	Specialist MDT	National
No. of men diagnosed with low-risk localised disease	17	3055
Percentage of men with low-risk localised disease receiving radical treatment	12%	5%
No. of men diagnosed with locally advanced disease	318	19663
Percentage of men diagnosed with locally advanced disease receiving radical treatment	53%	71%

Patient experience of care

	Specialist MDT	National
No. of men diagnosed 1st April 18 - 30th Sept 18 who had radical treatment (surgery or radiotherapy) and were sent a questionnaire	185	10750
Percentage of men who responded	79%	78%
No. of men who completed CNS question	143	8137
Percentage of men who were 'given the name of a CNS'	93%	87%
No. of men who rated their overall care on a scale of 1-10	132	7878
Percentage of men who rated their overall care as 8 or above	92%	91%


Outcome

	Treatment Centre
No. of men who received radical prostatectomy (2018-2019)	21
Adjusted percentage of men who had an emergency readmission within 90 days of radical prostatectomy (%)	25%
No. of men who received radical prostatectomy (2017)	37
Adjusted percentage of men experiencing at least one GU complication requiring a procedural/surgical intervention (%)	11%
No. of men who received radical radiotherapy (2017)	163
Adjusted percentage of men receiving a procedure of the large bowel and a diagnosis indicating radiation toxicity (GI complication) (%)	13%

Patient-reported outcomes


	Treatment Centre
No. of men diagnosed 1st April 18 - 30th Sept 18 who received external beam radiotherapy and were sent a questionnaire	87
Percentage of men who responded	82%
No. of men who completed sufficient information for a validated EPIC-26 bowel function score to be determined	64
Adjusted EPIC-26 bowel function score (0=worst to 100=best)	87
No. of men who completed sufficient information for a validated EPIC-26 sexual function score to be determined	61
Adjusted EPIC-26 sexual function score (0=worst to 100=best)	21

Adjusted funnel plot for the proportion of patients readmitted as an emergency within 90 days of radical prostatectomy by surgical centre in England and Wales.




Trust	Number	Adjusted
Abertawe Bro Morgannwg University Health Board	21	25.31%

Adjusted funnel plot for the proportion of patients experiencing at least one genitourinary complication requiring a procedural/surgical intervention within 2 years of radical prostatectomy by surgical centre in England and Wales.




Trust	Number	Adjusted
Abertawe Bro Morgannwg University Health Board	37	10.92%

Adjusted funnel plot for the proportion of patients receiving a procedure of the large bowel and a diagnosis indicating radiation toxicity (gastrointestinal complication) within 2 years of radical radiotherapy by radiotherapy centre in England and Wales.




Trust	Number	Adjusted
Abertawe Bro Morgannwg University Health Board	163	12.55%

Adjusted funnel plot for the mean sexual function score after radical radiotherapy by radiotherapy centre in England and Wales.



Trust	Number	Adjusted mean score
Abertawe Bro Morgannwg University Health Board	61	20.68

Adjusted funnel plot for the mean bowel function score after radical radiotherapy by radiotherapy centre in England and Wales.



Trust	Number	Adjusted mean score
Abertawe Bro Morgannwg University Health Board	64	87.26