

NPCA Annual Report 2023 – Provider results

Nottingham University Hospitals NHS Trust

Specialist MDT: Nottingham University Hospitals NHS Trust

Data Quality

	Diagnosing Trust	Specialist MDT
No. of Cancer Registry records	384	599
Performance Status recorded	53%	35%
PSA completed	66%	71%
Gleason Score completed	72%	73%
TNM completed	60%	55%

Disease Presentation

	Specialist MDT	National
No. of men with disease status determined	507	31258
Percentage of men diagnosed with metastatic disease	22%	19%

Management


	Specialist MDT	National
No. of men diagnosed with low-risk localised disease	32	3680
Percentage of men with low-risk localised disease receiving radical treatment	7%	9%
No. of men diagnosed with locally advanced disease	187	11503

	Specialist MDT	National
Percentage of men diagnosed with locally advanced disease receiving radical treatment	69%	69%

Outcome


	Treatment Centre
No. of men who received radical prostatectomy (Apr 2021 - Mar 2022)	81
Adjusted percentage of men who had an emergency readmission within 90 days of radical prostatectomy (%)	11%
No. of men who received radical prostatectomy (Sep 2019 - August 2020)	87
Adjusted percentage of men experiencing at least one GU complication (%)	3%
No. of men who received radical radiotherapy (Sep 2019 - August 2020)	296
Adjusted percentage of men experiencing at least one GI complication (%)	12%

Adjusted funnel plot for the proportion of patients readmitted as an emergency within 90 days of radical prostatectomy by surgical centre in England and Wales.




Trust	Number	Adjusted
Nottingham University Hospitals NHS Trust	81	11.49%

Adjusted funnel plot for the proportion of patients experiencing at least one genitourinary complication requiring a procedural/surgical intervention within 2 years of radical prostatectomy by surgical centre in England and Wales.



Trust	Number	Adjusted
Nottingham University Hospitals NHS Trust	87	3.48%

Adjusted funnel plot for the proportion of patients receiving a procedure of the large bowel and a diagnosis indicating radiation toxicity (gastrointestinal complication) within 2 years of radical radiotherapy by radiotherapy centre in England and Wales.



Trust	Number	Adjusted
Nottingham University Hospitals NHS Trust	296	12.03%