

NPCA Annual Report 2022 – Provider results

Norfolk and Norwich University Hospitals NHS Foundation Trust

Specialist MDT: Norfolk and Norwich University Hospitals NHS Foundation Trust

Data Quality

	Diagnosing Trust	Specialist MDT
No. of Cancer Registry records	363	486
Performance Status recorded	61%	67%
PSA completed	30%	47%
Gleason Score completed	N/A	N/A
TNM completed	60%	60%
Stage variable assigned	77%	75%

Disease Presentation

	Specialist MDT	National
No. of men with disease status determined	382	23477
Percentage of men diagnosed with metastatic disease	23%	17%
No. of men diagnosed with M1 (metastases)	86	N/A


Management

These indicators could not be reported this year for England as we were unable to assign a patient to a particular risk group due to the unavailability of information on Gleason score in the Rapid Cancer Registration Dataset

Outcome


	Treatment Centre
No. of men who received radical prostatectomy (2020-2021)	109
Adjusted percentage of men who had an emergency readmission within 90 days of radical prostatectomy (%)	13%
No. of men who received radical prostatectomy (2019)	146
Adjusted percentage of men experiencing at least one GU complication (%)	7%
No. of men who received radical radiotherapy (2019)	266
Adjusted percentage of men experiencing at least one GI complication (%)	

Adjusted funnel plot for the proportion of patients readmitted as an emergency within 90 days of radical prostatectomy by surgical centre in England and Wales.




Trust	Number	Adjusted
Norfolk and Norwich University Hospitals NHS Foundation Trust	109	13.15%

Adjusted funnel plot for the proportion of patients experiencing at least one genitourinary complication requiring a procedural/surgical intervention within 2 years of radical prostatectomy by surgical centre in England and Wales.



Trust	Number	Adjusted
Norfolk and Norwich University Hospitals NHS Foundation Trust	146	7.14%

Adjusted funnel plot for the proportion of patients receiving a procedure of the large bowel and a diagnosis indicating radiation toxicity (gastrointestinal complication) within 2 years of radical radiotherapy by radiotherapy centre in England and Wales.



Trust	Number	Adjusted
Norfolk and Norwich University Hospitals NHS Foundation Trust	266	17.16%